

UA-IX 2012 reincarnation ?

Sergi Polischuk

May 22, 2012

Unique RULES

- ▣ Strong L2-L4 security
(1 MAC per port, prefix based BGP filters, protected ARP, RFC-1918 traffic filtered out)
- ▣ Strict syntax compliance of all records in RIPE database (main requirement to join)
- ▣ Mandatory IPv4 and optional IPv6 peering with two Cisco ASR route-servers (RS)
- ▣ All networks of member's AS must be announced
- ▣ All networks from RS must be received
- ▣ **Private peering prohibited!**
- ▣ IP Transit prohibited - only local traffic exchange
- ▣ Key rule - **everything for everyone!**

Networking communism – best for growth of the Internet!

Why voting?

UA-IX is non-profit community service.
Members society open for all.

Because newcomer will get 100% of all networks immediately, holders of this networks could vote for pretender. It's one time peering agreement with everyone.


Need to get 50% positive votes to become membership. Only a few was refused. Procedure even has just been simplified.

No need to negotiate agreements with every potential peering partner every day!

DEVELOPMENT

Aggregated bandwidth grow 3 times per year

9 times per 2 years



	2005	2006	2007	2008	2009	2010	2011	2011 Q4	pr 2012	pr 2013
Traffic, Gbps	1	3	9	15	32	148	290	400	736	1868

Infrastructure speed x10 should be upgraded every 2.5 years

UA-IX 2011 achievements

- ▣ Two root-DNS F-ROOT and I-ROOT installed
- ▣ Two Cisco ASR-1001 - our new route-servers
- ▣ IPv6 fully deployed in production
- ▣ Network availability was 99.9999%
- ▣ Current network capacity limit (400Gbps) reached


- ▣ Next generation network solution developed:
40GE high capacity switches now and distributed
by TRILL network in future but stalled.

UA-IX network topology now



MIROHOST

ua-ix-650-2 (stack) 45 members ports




I.ROOT-SERVERS.NET

F.ROOT-SERVERS.NET




Леонтовича, 9



14 members ports


TSUA

Гайдара, 50
45 members ports



17 members ports

DG



67 members ports

Total: 183 members ports

- 10GE SFP+ = 124
- 10GE XFP = 1
- 1GE copper = 38
- 1GE fiber = 12
- 100M FE = 8
- Nx1GE(LACP) = 2
- Nx10GE = 18

40 members ports




ua-ix-460-1

ASR-1001 RS1



Future forecast ?





Thank you!
Благодарю!

