

RIPE NCC Tools & Measurements

ENOG 5, St. Petersburg, Russia, May 2013

Mirjam Kühne, Viktor Naumov, RIPE NCC



Overview

- Recent developments on RIPE Labs
 - Statistics Dashboard
 - RIPE NCC Roadmap
 - IPv6 Statistics
- New developments in RIPEstat
- New developments in RIPE Atlas

RIPE Labs



What is RIPE Labs?

- It's a website - but more importantly, it is a platform and a tool **for the community**
- You can:
 - Test and evaluate new tools and prototypes
 - Contribute new ideas and research results
 - Provide feedback and discuss with others

<http://labs.ripe.net/>

RIPE Labs Homepage

RIPE Labs
Innovative Internet tools & ideas [Register!](#)

- ✓ Share experience
- ✓ Showcase tools
- ✓ Present research

Statistics Dashboard

New contributions

RSS

0 comments
Using RIPE Atlas User Defined Measurements to Find the Most Popular Instances of a DNS Anycast Name Server
Stéphane Bortzmeyer — May 03, 2013 09:30 AM

A DNS anycast name server has several physical instances, all behind the same IP address. Which one is used by a RIPE Atlas probe depends on the location of the probe in the BGP space. RIPE Atlas can query the physical identity of the probe and therefore help to determine which instances have the largest user base.

Tags: atlas [Read more](#)

0 comments
New Dashboard View and More: RIPE Atlas Update April 2013
Robert Kistelevki — Apr 26, 2013 08:55 AM

Our latest release includes a lot of new features, including completely new opening pages on the website for logged in users and the general public. We also have one-off measurements, APIs, new maps, probe sharing and more! Please find all the details below, and don't forget to tell us what you think.

Tags: atlas [Read more](#)

List of Articles

Statistics

9163 Number of LIRs	16.23 Million IPv4 Allocation Pool
5532 LIRs with IPv6	View more statistics

RIPE NCC Roadmap

RIPE NCC Roadmap

Tag Cloud

tagcloud

allocation api ases atlas certification country cpe

RIPE Labs Content

tagcloud


allocation api ases **atlas**
certification country cpe
database
datarepository dns
dnssec geolocation
ipv4 ipv6 ipv6day
ipv6launch ixp k-root lirs
measurements
membership pi **policy**
reputation rex ripe db ripe
meetings ripe ncc **ripestat**
root-servers routing
rpsl **security statistics**
syria **tools**

- Statistics and measurements
 - Routing, DNS, IPv4, IPv6, ...
- RIPE Database API and tools
- RIPE Atlas
- Tools (RIPEstat, Abuse Finder)
- And a lot more...
- Also external contributions

Statistics Dashboard

- All stats on one page
- Automatically updated
- Each graph is tagged
 - Easier to navigate

Total Number of LIRs




The current number of LIRs (in April LIRs with outstanding invoices get closed, hence the drop).

Current number of LIRs

8497

Tags: lirs

RIPE NCC Membership Statistics



Number of Local Internet Registries (LIRs) registered with the RIPE NCC per year. Note that the numbers for 2012 only show data until end of October 2012.

Tags: lirs

LIRs with and without IPv6




Number of Local Internet Registries (LIRs) in the RIPE NCC service region that have an IPv6 allocation (green line) and that don't have an IPv6 allocation (yet) (red line).

4630 | 3867

Tags: lirs ipv6

LIRs Sorted by Country




Current number of Local Internet Registries (LIRs) per country.

Tags: lirs

View the full graph

LIRs Sorted by Region



Current number of Local Internet Registries (LIRs) by region.

Number of Remaining IPv4 Addresses



Amount of available and reserved IPv4 addresses managed by the RIPE NCC.


<http://labs.ripe.net/statistics>



IPv6 RIPLEness (9,196 LIRs)


<http://ipv6ripeness.ripe.net>

- 1 star
- 2 stars
- 3 stars
- 4 stars
- No IPv6



IPv6 RIPEness in Russia (1,088 LIRs)

● 1 star ● 2 stars ● 3 stars ● 4 stars ● No IPv6




IPv6 RIPEness Deployment - Fifth Star

- LIRs providing content over IPv6
 - Based on Alexa 1M list
- LIRs providing IPv6 access to end users
 - Based on APNIC's Flash-based Google ads

All LIRs offering services in Russian Federation

Access (last 6 months)	Access (last month)	Content	LIR
		6.3 %	"Domain names registrar REG.RU", Ltd
		17.0 %	BIGTELECOM CLOSED JSC
3.2 %	10.3 %		CJSC "Baikal TransTeleCom"
		5.1 %	CJSC "COMSTAR-regions"
50.0 %	100.0 %	39.1 %	CJSC "MasterHost"
62.0 %	54.2 %	100.0 %	CJSC Scientific-Production Association Progressive Technologies
		2.3 %	CityLanCom LTD
72.1 %	74.4 %		Closed Joint Stock Company "SeverTransTeleCom"
		44.8 %	Closed Joint Stock Company "Ural-TransTeleCom"
16.7 %			Closed Joint-Stock Company "Integration of Communication"

ASNs Announcing IPv6 Prefixes



RIPE NCC Roadmap

- Latest developments and future plans of various RIPE NCC activities
 - DNSMON, RIPE Atlas, RIPE Database, RIPE Labs, RIPEstat, RPKI
- Is this useful? Please give us your feedback!

Requested	Planned	In Progress	Delivered
<ul style="list-style-type: none">▶ Adding new users▶ Automatic alarms▼ Add DNSSEC-specific measurements <p>DNSSEC measurements may be an interesting feature to add.</p>	<ul style="list-style-type: none">▶ Pilot during Q3 2013▼ Production service planned for Q4 2013 <p>Remaining users will be migrated to the new DNSMON, based on the RIPE Atlas infrastructure, during Q4 2013.</p>	<ul style="list-style-type: none">▶ Presentation of DNSMON Roadmap at RIPE66	<ul style="list-style-type: none">▶ Migrated DNSMON to members-only service▼ Developed working DNSMON prototype using new measurement system <p>The RIPE NCC has developed a prototype DNSMON that transitions its measurement systems from the old TTM test boxes to RIPE Atlas anchors.</p>

RIPEstat



The screenshot shows the RIPEstat website interface for AS3333. At the top, there is a search bar with the text "RIPEstat" and a "Sign in" button. Below the search bar, there is a navigation menu with options like "source data", "embed code", "permalink", and "info". The main content area is divided into several widgets:

- Resource Overview (AS3333):** Shows the name "RIPE-NCC-AS - Reseaux IP Europeens Network Coordination Centre (RIPE NCC)" and the date range "Showing results from 2012-11-10 15:26:00Z to 2012-11-13 15:26:00Z".
- Registry Browser (AS3333):** Displays the following details:
 - aut-num: AS3333
 - as-name: RIPE-NCC-AS
 - descr: Reseaux IP Europeens Network Coordination Centre (RIPE NCC)
 - org: ORG-RIEN1-RIPE
 - admin-c: JDR-RIPE
 - admin-c: BRD-RIPE
 - tech-c: OPS4-RIPE
 - mnt-by: RIPE-NCC-END-MNT
 - mnt-by: RIPE-NCC-MNT
- Geoloc (AS3333):** Shows a map of Europe with a red dot indicating the location of AS3333 in Amsterdam, Netherlands. The map includes labels for "Net1", "100.00%", "Germany", "Belgium", "Cologne", "Bremen", and "Hamburg".
- Routing Status (AS3333):** Shows a green checkmark and the text "AS3333 is visible by 100% of 100 IPv4 and 100% of 88 IPv6 RIS full peers." Below this, it lists:
 - First ever seen before Jan 2001.
 - Originated IPv4 prefixes: 6
 - Originated IPv6 prefixes: 1
 - Observed BGP neighbours: 167
 - Address space announced (IPv4): 4808 IPs
 - Address space announced (IPv6): equiv. to 1 /48s

- Toolbox

- All data in one place
- Routing, IP, geoloc, BLs, etc.
- Graphical interface
- Nearly 40 widgets & growing

- Updates on RIPE Labs

- User feedback important!



What's New in RIPEstat

- Command-line interface
 - Text Service on port 43
- BGPlay now integrated in RIPEstat
- Country Routing Statistics widget
- Abuse Contact Finder widget
- New interface & My Views

Please give us feedback

New RIPEstat Interface

RIPEstat

Your network: **AS3333, 2001:67c:2e8::/48** e.g. IPv4 prefix/range, IPv6, ASN

RIPEstat is your source for Internet-related stats & status — stat! [learn more...](#)

Welcome,
Mirjam Kühne
([sign out](#))

Permalink

At a Glance (4)

Routing (7)

DNS (1)

Anti Abuse (1)

Database (9)

Geographic (2)

Resource Overview (2001:67c:2e8::/48)

This prefix is announced by

AS3333

RIPE-NCC-AS - Reseaux IP Europeens Network Coordination Centre (RIPE NCC)

Showing results for 2001:67c:2e8::/48 as of 2012-11-07 00:00:00Z

[source data](#) [embed code](#) [permalink](#) [info](#)


Registry Browser (2001:67c:2e8::/48)

inet6num:
2001:67c:2e8::/48

netname	RIPE-NCC-NET
descr	Reseaux IP Europeens Network Coordination Centre (RIPE NCC)
org	ORG-RIEN1-RIPE
country	NL
admin-c	JDR-RIPE
admin-c	BRD-RIPE
tech-c	OPS4-RIPE
status	ASSIGNED PI
mnt-by	RIPE-NCC-END-MNT
mnt-lower	RIPE-NCC-END-MNT
mnt-by	RIPE-NCC-MNT
mnt-routes	RIPE-NCC-MNT
mnt-domains	RIPE-NCC-MNT

Showing results for 2001:67c:2e8::/48 as of 2012-11-08 12:15:39Z

Geoloc (2001:67c:2e8::/48)



Address space without geographic information: **100.00%**

Geoloc details

Showing results for 2001:67c:2e8::/48 as of 2012-11-08 00:00:00Z

[source data](#) [embed code](#) [permalink](#) [info](#)

Routing Status (2001:67c:2e8::/48)

2001:67c:2e8::/48 is 100% visible (by 88 of 88 RIS full peers).

First ever seen announced by **AS3333**, on **2010-09-28 16:00:00Z**.

Originated by: **AS3333** (valid route object in RIPE)

No less-specific covering prefixes.

[Compare](#) to [1 week](#) [earlier](#)


Showing results for 2001:67c:2e8::/48 as of 2012-11-07 00:00:00Z

[source data](#) [embed code](#) [permalink](#) [info](#)

Tabbed layout

New
'At a Glance'
view

New BGPlay Integrated in RIPEstat



- Popular demand
- Improved visualisation
- Collaboration with Roma Tre University

Country Routing Statistics


- IPv4, IPv6, ASNs per country over time
 - <https://stat.ripe.net/widget/country-routing-stats>
- Compare with another country
 - <https://stat.ripe.net/special/country-comparison>



Abuse Contact Finder

- Finds potential contacts to report abuse cases
 - <https://stat.ripe.net/special/abuse>
- Rates the quality of the information found
- New policy requires “abuse-c:” attribute in RIPE

Database



RIPE Atlas



RIPE Atlas - Active Measurements Network

- Next generation Internet measurements network
 - Thousands of measurement nodes
 - Probes run different measurements
 - ping, traceroute, SSL, DNS
- Instead of building small, individual, private infrastructures, build a HUGE common infrastructure that serves both private and community goals

<http://labs.ripe.net/atlas>

RIPE Atlas Update

- 3,000 active probes and 6,700 users worldwide
 - Increasing number of requests
 - Working on next version of probes
- RIPE Atlas anchors pilot started (15 volunteers)
 - Collecting data as enhanced RIPE Atlas probes
 - Acting as targets for regional measurements
- New generation probes
 - TP-LINK TL-MR 3020
(no WiFi capabilities for privacy reasons)



Recent Developments

- REST APIs to interact with the system
 - Probe API: info about vantage points
 - Measurement API: info about measurements
 - API for starting measurements
- One-off measurements & Quick Look (members)
 - Allow for immediate, one-time measurements
 - In addition to user-defined measurements
- Code released
 - Measurement source code
 - Analysis and statistics code

RIPE Atlas Use Cases




- Effects storm Sandy had on parts of Internet

- <https://labs.ripe.net/Members/mirjam/sandy-2012>

Name server instance	Nr. of probes connecting to instance	Percentage
dns.th2.nic.fr	173	36%
dns.fra.nic.fr	173	36%
dns.lon.nic.fr	47	10%
dns.lyn2.nic.fr	29	6%
dns.lyn1.nic.fr	25	5%
dns.bru.nic.fr	19	4%
dns.ix1.nic.fr	18	4%

- Find most popular instances of DNS anycast servers


RIPE Atlas Probes per Country



RIPE Atlas Probes in the Region



K-root Server Instances



Questions?

